

INNOVA

by etex

NZ Product brochure

August 2025

Fibre cement specialists.



Backed by Etex, the global leader in fibre cement, Innova is bringing the change the industry needs. So now architects, builders, and homeowners can make the changes they want.

We'll never stop innovating our stylish fibre cement range. We'll never stop finding efficiencies and passing on the savings.

Change is what defines us and propels us forward. Change is the foundation we're built on.

Innova. Built on change.

Nuline®
Square
175mm



Innova is New Zealand's top supplier of facades and linings, committed to bringing design, quality and value to domestic and commercial projects of all sizes.

Inside and out, we offer traditional and contemporary styling, with a wide variety of designs, created to inspire and impress. You'll also enjoy the peace of mind of a smooth building process with products that are versatile, durable and will stand the test of time.

This is form and function.

This is art and innovation.

This is Innova.

The range you've been waiting for.

Exterior and interior walls

Weatherboards	3
Nuline®	4
Stratum®	7
Contour®	12
Duraplank®	15
Exterior facades	19
Duragroove®	20
Durascape®	23
Duragrid®	26
Duracom®	29
Exterior base sheets	31
Stonesheet®	32
Pre-finished facades	35
Montage®	36
Pre-cladding	45
DurabARRIER®	46
Interior linings	49
Duraliner®	50
Intergroove®	52
Innova on the inside	54

Eaves and soffits

Eaves lining and soffits	57
Durasheet®	58
Duralux®	60
Intergroove®	62

Flooring and underlay

Flooring	65
Durafloor®	66
Compressed flooring	68
Underlay	71
Ceramic tile underlay	72

Effects

Effects® fascia	76
-----------------	----

Warranty

Please refer to innovafibreceement.co.nz for detailed warranty information.

Stratum®
Trio
Woodgrain



Exterior and interior walls

Weatherboards

Nuline®

Weatherboards

Nuline® is a sleek, weatherboard-style cladding system designed to deliver a modern and sophisticated aesthetic. It offers the timeless charm of traditional weatherboards without the ongoing maintenance associated with timber.

Thanks to its innovative tongue-and-groove design, Nuline® ensures perfectly consistent joins across your project. Additionally, the slight bevel on the rear of each plank provides a 25mm bearing face on the stud, making fixing and nailing both straightforward and efficient.



Features and benefits

- Extend your options with 3 width options 150, 175 and 205mm.
- Delivered primed and ready for painting, saving preparation time.
- Built for longevity with high durability and resistance to rot and decay.
- Quick, simple installation: manual nailing, gun nailing or screw fixing.
- Can achieve 30 and 60min Fire Rating.
- BRANZ Appraised no.'s 640 and 641.

Thickness mm	Profile	Weight kg/lm	Width mm	Length mm	Product code	Pack size
14	Square	2.9	150	4200	4093655	126
	Square	3.4	175		4092767	120
	Square	4	205		4092768	120





Profile



Square



Product: Nuline® Square 175mm




Product: Nuline® Square 175mm

Accessories



Aluminium internal corner

Size mm	Product code
3000 × 36	4092823
4000 × 36	4092660




Aluminium external corner

Size mm	Product code
3000 × 36	4092819
4000 × 36	4092915



Nuline® external corner soaker - Aluminium

Size mm	Product code
150	4092889
175	4094306
205	4092908



Nuline® external corner soaker - Stainless Steel

Size mm	Product code
150	4093565
175	4092907
205	4092909



Pre-cut scriber

Profile	Size mm	Product code
150	40 × 18 × 5400	4093707
175	40 × 18 × 5400	4093709
205	40 × 18 × 5400	4093708



Innova edge sealer

Size g	Product code
400	4092899



Cavity vent strip

Size mm	Product code
2700 × 19	4092887

Stratum®

Weatherboards

A vibrant, innovative alternative to traditional weatherboards, Stratum® is an endlessly adaptable range of weatherboard products. Choose one Stratum® profile as a standalone, or mix'n'match two or three to create eye-catching and original exterior cladding.

Stratum® is designed with a shiplap joint, meaning installation is quicker and easier and the smooth profiles come pre-primed to speed up the painting process.

7 unique profiles make up the Stratum® range

- Stratum® is a 300mm wide weatherboard.
- Stratum® Woodgrain is a 300mm wide weatherboard embossed with a woodgrain pattern giving a timber like appearance.
- Stratum® Duo is a 300mm wide weatherboard with a 16mm centre groove giving the look of two slimmer weatherboards.
- Stratum® Duo Offset is a 300mm wide weatherboard with a 16mm groove located on the lower third of the weatherboard giving the appearance of 1 slim board and 1 wider one.
- Stratum® Duo Woodgrain is a 300mm wide weatherboard with a 16mm centre groove giving the look of two slimmer weatherboards embossed with a woodgrain pattern giving a timber like appearance.
- Stratum® Trio is a 300mm wide weatherboard with 2 x 16mm horizontal grooves.
- Stratum® Trio Woodgrain is a 300mm weatherboard with 2 x 16mm horizontal grooves embossed with a woodgrain pattern giving a timber like appearance.

Features and benefits

- Features easy shiplap joining for a seamless finish.
- Smooth profiles are primed and ready for painting, saving preparation time.
- Quick, simple installation: manual nailing, gun nailing or screw fixing.
- Horizontal or vertical Installation.
- BRANZ Appraise no.'s 847 and 1060.
- Can achieve a 30 and 60 min Fire Rating.



Thickness mm	Profile	Weight kg/lm	Width mm	Length and product code	
				2700mm	4200mm
12	Stratum®	5	300	4092769	4092770
	Stratum® Woodgrain	5		4092786	4092787
	Stratum® Duo	4.3		4092773	4092775
	Stratum® Duo Woodgrain	4.3		4092776	4092777
	Stratum® Duo Offset	4.3			4092779
	Stratum® Trio	4.2		4092783	4092781
	Stratum® Trio Woodgrain	4.2		4092784	4092785
Pack size				120	90

Profiles



Stratum®




Stratum® Duo



Stratum® Trio




Stratum® Duo Offset



Stratum® Woodgrain



Stratum® Duo Woodgrain



Stratum® Trio Woodgrain



Stratum®
Duo



Stratum®,
Stratum® Duo,
Stratum® Trio



Product: Stratum® Trio

Accessories



Aluminium internal corner

Size mm	Product code
3000 × 17	4092822



Aluminium external corner

Size mm	Product code
3000 × 17	4092818
4000 × 17	4092913



Stratum® joiner

Size mm	Product code
3000	4092920



Cavity vent strip

Size mm	Product code
2700 × 19	4092887



J mould

Size mm	Product code
2400	4093657



Aluminium H mould

Size mm	Product code
3000	4093905



Product: Stratum®, Stratum® Duo, Stratum® Trio.

Accessories



H mould joiner

Size mm	Product code
100	4093906



Interstorey drainage flashing

Size mm	Product code
3000	4093907



Pre-cut scribe Stratum®

Size mm	Product code
5400 × 40 × 18	4093705



Pre-cut scribe Stratum® Duo

Size mm	Product code
5400 × 40 × 18	4093706



Pre-cut scribe Stratum® Trio

Size mm	Product code
5400 × 40 × 18	4093914



Castellated batten H3.1 treated

Size mm	Product code
2700 × 45 × 20	4092910



Timber batten H3.1 treated

Size mm	Product code
5400 × 70 × 20	4092902



Innova edge sealer

Size g	Product code
400	4092899



Snap on corner part A

Size mm	Product code
3600	4092917



Snap on corner part B

Size mm	Product code
3600	4092919

Contour[®]

Weatherboards

The Contour[®] board is expertly designed to replicate the charm of older-style weatherboard homes, featuring a rebate at the top of each plank to enhance the shadowline for a more defined, traditional appearance. It combines the classic appeal of weatherboards with the modern advantage of low-maintenance durability.



With its narrower profile and distinctive rebate, the Contour® board delivers a truly authentic weatherboard look, setting it apart from other cladding options.

Features and benefits

- Narrower profile for a traditional weatherboard aesthetic.
- Delivered primed and ready for painting, saving preparation time.
- Built to last with exceptional durability, resistant to rot and decay.
- Quick, simple installation: manual nailing, gun nailing or screw fixing.
- BRANZ Appraised No. 848.
- Can Achieve a 30 and 60 min Fire Rating.
- Concealed fixing.



Profile



Contour®



Thickness mm	Profile	Weight kg/lm	Width mm	Length mm	Product code	Pack size
10	Contour®	2.1	170	4200	4092772	180



Accessories



Aluminium internal corner

Size mm	Product code
3000 × 17	4092822



Aluminium external corner

Size mm	Product code
3000 × 17	4092818
4000 × 17	4092913



Cavity vent/starter strip

Size mm	Product code
2700 × 33	4093659



J mould

Size mm	Product code
2400	4093658



Precut scriber Contour®

Size mm	Product code
5400 × 40 × 18	4093660

Duraplank®

Weatherboards

Duraplank® combines the timeless appeal of traditional weatherboards with modern durability and ease of installation. Designed to resist decay and rot, this non-combustible cladding solution is built to last.

With two attractive finish options – smooth and woodgrain – Duraplank® delivers an authentic weatherboard aesthetic while offering the strength to endure the demands of everyday life.

Features and benefits

- Evokes the charm of traditional weatherboards.
- Built for longevity with high durability and resistance to rot and decay.
- Quick, simple installation: manual nailing, or screw fixing.

Thickness mm	Profile	Weight kg/lm	Width mm	Length mm	Product code	Pack size
7.5	Smooth	1.9	180	4200	4092795	120
	Smooth	2.4	230		4092793	120
	Smooth	3.1	300		4092794	120
	Woodgrain	2.4	230		4092796	120
	Woodgrain	3.1	300		4092797	120





Duraplank®
Smooth

Profiles



Smooth



Woodgrain



Product: Duraplank® Woodgrain

Accessories



Aluminium internal corner

Size mm	Product code
3000 × 17	4092822



Aluminium external corner

Size mm	Product code
3000 × 17	4092818
4000 × 17	4092913



Duraplank® external corner soaker

Size mm	Product code
180	4093701
230	4092852
300	4092853



Duraplank® concealed back soaker

Size mm	Product code
180	4093702
230	4092872
300	4092873



Innova edge sealer

Size g	Product code
400	4092899

Stratum®
Trio
Woodgrain



Exterior and interior walls

Exterior facades

Duragroove®

Exterior facades

Duragroove® is a highly versatile, vertically grooved panel designed to add striking visual appeal to any project. Its sleek, modern design enhances contemporary spaces, and the option to mix and match profiles allows for endless creative expression.

Produced in large sheets across a variety of sizes, Duragroove® features a shiplap join for a seamless appearance and quicker installation. With four unique profiles, it's easy to achieve the perfect look:

- **Narrow:** 100mm between grooves.
- **Wide:** 150mm between grooves.
- **Extra Wide:** 400mm between grooves, with an enhanced groove width for added visual appeal.
- **Wide Woodgrain:** 150mm between grooves, featuring a natural woodgrain texture.

Features and benefits


- Excellent choice for long wall spans, offering large panel sizes that has more coverage per sheet.
- It's efficient design reduces installation time while delivering a clean, modern finish.
- Acrylic-sealed panels improve paint adhesion and finish.
- Quick to install — no need for taped and filled joints.
- Panels resistant to air, steam, salt and sunlight.
- BRANZ Appraised No.'s 798 and 799.
- Can achieve 30 and 60 min Fire Rating.



Thickness mm	Weight kg/m ²	Profile	Width mm	Length and product code				Pack size
				2450mm	2750mm	3000mm	3600mm	
9	12.4	Smooth Narrow	1200	4092596	4092597	4092598		40
		Smooth Wide		4092599	4092600	4092601	4092602	40
		Smooth Extra Wide		4092590	4092591	4092592		40
		Woodgrain Wide		4092603	4092604	4092605		40



Profiles



Narrow



Wide



Extra Wide



Woodgrain Wide



Accessories



Aluminium internal corner

Size mm	Product code
3000 × 12	4092821



Aluminium external corner

Size mm	Product code
3000 × 12	4092817
4000 × 12	4092912



Horizontal H mould

Size mm	Product code
3000	4093703



H mould joiner

Size mm	Product code
100	4093904



Cavity vent strip

Size mm	Product code
2700 × 19	4092887



Timber batten H3.1 treated

Size mm	Product code
5400 × 70 × 20	4092902



Innova edge sealer

Size g	Product code
400	4092899



Product: Duragroove® Smooth Wide, Nuline® Square 205mm, Montage® Slimline Tile Onyx.

Durascape®

Exterior facades

Durascape® is the perfect solution for projects requiring a sleek, large panel aesthetic. It is a cladding solution featuring a 5mm shiplap joint that creates a subtle vertical shadowline while ensuring quick and easy installation. The shiplap design also minimizes movement, removing the risk of cracking over time.

For a bold, contemporary look, Durascape® delivers a sleek 'rendered' finish when coated with textured paint on-site — offering limitless design potential and a striking modern aesthetic.



Features and benefits


- Easy to handle and built to last.
- Perfect for single-story and medium-height applications with large panels.
- Quick installation — no need for taped and flushed joints.
- Panels unaffected by air, steam, salt and sunlight.
- Can be finished in a range of decorative coatings.
- BRANZ Appraised No.'s 798 and 799.
- Can achieve 30 and 60 min Fire Rating.

Thickness mm	Weight kg/m ²	Width mm	Length mm	Product code	Pack size
9	12.4	1200	2450	4092625	40
			3000	4092627	40





Profile



Durascape®

Accessories



Aluminium internal corner

Size mm	Product code
3000 × 12	4092821



Aluminium external corner

Size mm	Product code
3000 × 12	4092817
4000 × 12	4092912



Horizontal H mould

Size mm	Product code
3000	4093703



Horizontal H mould joiner

Size mm	Product code
100	4093904



Cavity vent strip

Size mm	Product code
2700 × 19	4092887



Timber batten H3.1 treated

Size mm	Product code
5400 × 70 × 20	4092902



Innova edge sealer

Size g	Product code
400	4092899

Duragrid®

Exterior facades

Duragrid® is a cutting-edge cladding system featuring a sleek, geometric 10mm expressed joint for a modern and stylish aesthetic. Ideal for projects aiming to achieve a clean and contemporary design. Duragrid® panels offer exceptional design flexibility.

Duragrid® has a smooth, flat surface and square-edge finish that is suitable for expressed joints, providing a facade suitable for a number of finishes; from painted to textured coatings.



Features and benefits

- Built to withstand the elements while being easy to handle.
- Compatible with a range of coatings, from paint to textured finishes.
- Unaffected by air, steam, salt or sunlight.
- Quick and simple to install using manual nailing, gun nailing or screw fixing.
- Layout flexibility, horizontal and vertical installation, brick bond/stack bond pattern.
- Can be used in high wind zones up to and including extra high (NZS3604:2011).
- BRANZ Appraised No. 752.

Thickness mm	Weight kg/m ²	Width mm	Length and product code			Pack size
			1190mm	2390mm	2990mm	
9	12.4	590		4092588		40
		1190	4092585	4092587	4092589	40





Profile



Duragrid®



Accessories



Timber batten H3.1 treated

Size mm	Product code
5400 × 70 × 20	4092902



Cavity vent strip

Size mm	Product code
2700 × 19	4092887



Facade backing strip

Size mm	Product code
3000	4094033



Innova edge sealer

Size g	Product code
400	4092899



Duracom[®]

Exterior facades

Duracom[®] is the perfect solution for creating visually striking facades in low-to-medium rise buildings. Designed with commercial projects in mind, Duracom[®] uses compressed fibre cement panels combined with a steel top hat system for exceptional durability and impact resistance.

The system's signature 10mm express join delivers a sophisticated grid-like pattern that can be customized into various shapes and sizes, allowing flexibility to suit any design vision. Duracom[®] supports a wide range of finishes, from sleek painted surfaces to textured coatings, ensuring a versatile and modern look.

Features and benefits

- Delivered primed and ready for painting, saving preparation time.
- Compatible with a variety of decorative finishes for unique facade styles.
- Quick and simple installation using top hats.
- Suitable for high wind zones applicable up to 7kPA.

Thickness mm	Weight kg/m ²	Width mm	Length and product code			Pack size
			1800mm	2400mm	3000mm	
9	14.2	1200	4092550	4092552	4092555	40

Profile



Duracom[®]



Accessories



Primary top hat

Size mm	Product code
3000 × 120 × 35 1.15BMT	4092812




Intermediate top hat

Size mm	Product code
3000 × 50 × 35 1.15BMT	4092814



Horizontal backing strip

Size mm	Product code
2990	4092896



EPDM foam gasket

Size mm	Product code
25000 × 48 × 3	4092813



Exterior and interior walls

Exterior base sheets

Stonesheet®

Exterior base sheets

Stonesheet® is the ideal choice for stone wall substrates and true masonry on timber or steel-framed buildings.

This 9mm thick, flat, square-edged panels are designed specifically for both residential interior and exterior applications, offering a reliable and purpose-built solution where other substrates may fall short.

Stonesheet® is the perfect base for stone tile facades, providing excellent performance and durability.

Features and benefits

- Suitable for both exterior and interior stone tile facades.
- Classified Type A Category 3 for exterior use ensuring reliability.
- Non-structural substrate.
- Capable of supporting a maximum stone facade weight of 60kg/m².

Thickness mm	Weight kg/m ²	Width mm	Length mm	Product code	Pack size
9	12.4	1200	3000	4092629	60





Accessories



Cavity vent strip

Size mm	Product code
2700 × 19	4092887




Innova edge sealer

Size g	Product code
400	4092899



Stainless steel washer – 100 per bag

Size mm	Product code
M6 × 18 × 1.6	4094053



Joint tape

Size mm	Product code
60 × 2000	4093654

Montage®
Concrete
Rectangle
with Circle

Exterior and interior walls

Pre-finished facades

Montage®

Pre-finished facades

Montage® is a versatile fibre cement facade system that can be used both externally and internally.

The range brings depth and texture to your project, offering the flexibility to combine profiles and colours for a truly unique and distinctive final look.

With a colour palette carefully considered to be blended or contrasted, you'll have an array of options to play with. The deep form embossed into the panels also creates a striking effect, making your project stand out from the streetscape.




Features and benefits

- 4 profiles available – Concrete, Slimline Tile, Stackstone and Woodgrain.
- Lightweight and easy to install.
- Perfect for internal or external installation.
- Pre-finished using a multiple coat finishing system.
- Fully sealed panels that are weather resistant and won't rot or burn.
- Quick and Simple to install.

Thickness mm	Profile	Weight kg/m ²	Width mm	Length mm	Product code	Pack size
16	Concrete – Square with Circle	18.9	455	3030	4092705	1
	Concrete – Rectangle with Circle				4092704	1
	Concrete – Smooth Plain				4092706	1
18	Slimline Tile – Limestone	17			4092673	1
	Slimline Tile – Sandstone				4092674	1
	Slimline Tile – Basalt				4092675	1
	Slimline Tile – Onyx				4092676	1
18	Stackstone – Limestone	16.7			4092684	1
	Stackstone – Sandstone				4092681	1
	Stackstone – Basalt				4092682	1
	Stackstone – Onyx				4092683	1
18	Woodgrain – Light Teak	17.8			4092661	1
	Woodgrain – Dark Mahogany				4092662	1
	Woodgrain – Grey Oak				4092663	1
	Woodgrain – Black Oak				4092664	1


Woodgrain Light Teak, Woodgrain Black Oak, Concrete Rectangle Circle, Concrete Smooth plain are stock items.

All other profiles are made to order, please contact your local Innova representative for more details.



Profiles

Concrete



Smooth Plain



Square with Circle



Rectangle with Circle

Slimline Tile



Basalt



Onyx



Sandstone



Limestone

Stackstone



Basalt



Onyx




Sandstone




Limestone

Woodgrain




Light teak



Dark Mahogany



Grey Oak



Black Oak



Product: Montage® Concrete Rectangle with Circle, Montage® Stackstone Rectangle with Circle and Montage® Slimline Tile Limestone.

Pre-formed corners — horizontal installation



Concrete

Size mm	Product code
455 × 16	4092742



Woodgrain

Profile	Size mm	Product code
Light Teak	455 × 18	4092669
Dark Mahogany	455 × 18	4092670
Grey Oak	455 × 18	4092671
Black Oak	455 × 18	4092672



Slimline Tile

Profile	Size mm	Product code
Limestone	455 × 18	4092677
Sandstone	455 × 18	4092678
Basalt	455 × 18	4092679
Onyx	455 × 18	4092680



Stackstone

Profile	Size mm	Product code
Limestone	455 × 18	4092688
Sandstone	455 × 18	4092685
Basalt	455 × 18	4092686
Onyx	455 × 18	4092687















Pre-formed corners — vertical installation



Woodgrain

Profile	Size mm	Product code
Light Teak	3030 × 18	4092665
Dark Mahogany	3030 × 18	4092666
Grey Oak	3030 × 18	4092667
Black Oak	3030 × 18	4092668

Installation accessories — powder coated aluminium corners — common

Profile		Size mm	Product code
Aluminium external corner for Concrete and Woodgrain Grey Oak		3600 x 36	4092709
Aluminium external corner for Slimline Tile and Stackstone Limestone			4092711
Aluminium external corner for Slimline Tile and Stackstone Sandstone			4092714
Aluminium external corner for Slimline Tile and Stackstone Basalt			4092708
Aluminium external corner for Slimline Tile and Stackstone Onyx and Woodgrain Black Oak			4092713
Aluminium external corner for Woodgrain Light Teak			4092712
Aluminium external corner for Woodgrain Dark Mahogany			4092710
Aluminium internal corner for Concrete and Woodgrain Grey Oak			4092736
Aluminium internal corner for Slimline Tile and Stackstone Limestone			4092738
Aluminium internal corner for Slimline Tile and Stackstone Sandstone			4092741
Aluminium internal corner for Slimline Tile and Stackstone Basalt			4092735
Aluminium internal corner for Slimline Tile and Stackstone Onyx and Woodgrain Black Oak			4092740
Aluminium internal corner for Woodgrain Light Teak			4092739
Aluminium internal corner for Woodgrain Dark Mahogany			4092737

Installation accessories



Vertical cavity starter

Size mm	Product code
3000 × 23.50 × 80	4092759



Horizontal cavity starter

Size mm	Product code
3000 × 21.50 × 80	4092733



Cavity clip

Size mm	Product code
60 × 56 × 15	4092701



Self adhesive spacer

Size mm	Product code
50 × 50 × 15	4092699



High hat joiner

Size mm	Product code
3030 × 20	4092691



Single hat joiner

Size mm	Product code
3030 × 16	4092693



Montage®
Woodgrain
Light Teak

Nuline®
Square
175mm

Installation accessories — common



Ring nail for face fixing on timber

Primer for cut edges and joints

SS screws for clips to the frame

Size mm	Product code	Size g	Product code	Size mm	Product code
65 × 3	4092695	100	4092743	35	4092696



SS screws for clips to steel frame

Size mm	Product code
19 × 4	4092697

Installation accessories — eaves



Eaves trim channel

External corner

Internal corner

Profile	Size mm	Product code	Profile	Size mm	Product code	Profile	Size mm	Product code
Grey	2370 × 55 × 35	4092724	Grey	86 × 32.5 × 51.3	4092727	Grey	86 × 67.4 × 32.5	4092730
Brown		4092726	Brown		4092729	Brown		4092732
Black		4092725	Black		4092728	Black		4092731










Trim joint













End cap

Profile	Size mm	Product code	Profile	Size mm	Product code
Grey	40 × 32.5	4092721	Grey	32.5 × 25	4092718
Brown		4092723	Brown		4092720
Black		4092722	Black		4092719

Accessories — sealants

Profile		Size ml	Product code
Concrete grey sealant for Concrete profiles, Stackstone Basalt and Woodgrain Grey Oak		600	4092825
Off white sealant for Slimline Tile and Stackstone Limestone			4092831
Sandstone sealant for Slimline Tile Sandstone			4092829
Dark Grey sealant for Slimline Tile Basalt and Stackstone Onyx			4092830
Black sealant with Slimline Tile Onyx and Woodgrain Black Oak			4092826
Redwood sealant for Stackstone Sandstone and Woodgrain Light Teak			4092827
Dark Amber for Woodgrain Dark Mahogany			4092828

Accessories — touch up paint

Profile		Size ml	Product code
Concrete		80	4092746
Woodgrain — Light Teak			4092758
Woodgrain — Dark Mahogany			4092756
Woodgrain — Grey Oak			4092757
Woodgrain — Black Oak			4092755
Slimline Tile — Limestone			4092752
Slimline Tile — Sandstone			4092754
Slimline Tile — Basalt			4092751
Slimline Tile — Onyx			4092753
Stackstone — Sandstone			4092750
Stackstone — Limestone			4092748
Stackstone — Basalt			4092747
Stackstone — Onyx			4092749

DurabARRIER®



BSC-DURABARRIER

BSC-DURABARRIER

BSC-DURABARRIER

Exterior and interior walls

Pre-cladding

DurabARRIER®

Pre-cladding

DurabARRIER® is a rigid air barrier designed for use in both residential and commercial timber or steel-framed buildings. It helps resist high winds by equalising air pressure within the cavity to match external conditions, ensuring enhanced protection.

This 4.5mm or 6mm-thick fibre cement sheet is sealed on the face and edges, effectively blocking out water, air, and wind while allowing moisture vapour to escape.

Features and benefits

- Correct installation will ensure resistance to moisture damage and rot.
- Face-sealed helps rapidly displace moisture, maintaining the integrity of the structure.
- Provides short-term weather tightness during construction.
- Temporarily secures buildings ahead of cladding.

Thickness mm	Weight kg/m ²	Width mm	Length and product code			Pack size
			2450mm	2750mm	3000mm	
4.5	6.1	1200	4092577	4092578	60	
6	8.3		4092579		4092580	60

Accessories



Z Flashing

Size mm	Product code
3000 × 75	4093710





Product: DurabARRIER®.



Duraliner®

Exterior and interior walls

Interior linings

Duraliner®

Interior linings

Duraliner® is a general-purpose fibre cement lining board, designed for flush jointing and ideal for a variety of applications. It excels in wet areas, interior linings, and as a substrate for ceramic wall tiles, as well as for fire and acoustically-rated interior walls.

Features and benefits

- Ideal for use in fire and acoustic-rated wall applications.
- Suitable for a wide range of uses, including internal wet areas.
- Rebated on 3 edges for efficient jointing and installation.



Thickness mm	Weight kg/m ²	Width mm	Length and product code				Pack size
			2400mm	2700mm	3000mm	3600mm	
6	8.3	900	4092610				60
		1200	4092608	4092611	4092612	4092615	60
9	12.4	1200	4092619	4092620	4092621	4092623	40





Intergroove[®]

Interior linings

Intergroove[®] is the perfect choice for creating a modern, floor to ceiling feature wall or a traditional dado wall design. This strong and durable internal wall lining is designed with a V-shaped groove, combining the classic look of traditional panelling with the modern benefits of fibre cement, including easy maintenance and lasting durability.

Features and benefits

- Easy to handle and built for long-lasting performance.
- Quick to install as it eliminates the need for taped and filled joints. Factory sealed panels aid paint application.
- Features a 2mm deep v groove.

Thickness mm	Weight kg/m ²	Width mm	Length mm	Product code	Pack size
7.5	10.4	1200	2700	4092659	60





Innova on the inside

By leading the way in using fibre cement beyond traditional facades, Innova is redefining its role in residential and commercial interiors. Transforming industry perceptions, our range seamlessly extends from exterior to interior spaces with 'Innova on the Inside'.

Innova fibre cement is ideal for interiors as an alternative and unique approach to feature walls inside the home or office space.

Innova's innovative products and ideals are changing perceptions of where fibre cement cladding can be used in residential and commercial environments — not just the exterior or as a lining board in wet areas.

Innova aims to quash misconceptions such as 'fibre cement is typically for exterior facades'. Innova is committed to changing the perception that fibre cement can only be used externally and in wet areas, increasing understanding of how fibre cement can be used in interior settings industry-wide.

Providing aesthetics and versatility in design, Innova's broad range of fibre cement products are textured, smooth or ready for finishing on-site when other lining products need to be painted, wallpapered or tiled to achieve a visually pleasing finish.



Duragrid®
Multi-
coloured



Stratum®
Great Dane



Montage®
Concrete
Rectangle
with Circle



Duralux®

Eaves and soffits

Eaves lining and soffits

Durasheet®

Eaves lining and soffits

Durasheet® is the ideal solution for gable ends, eaves lining, soffits, carports, and external ceilings. This versatile general-purpose sheet is compatible with both timber and steel-framed buildings, offering flexibility across various applications.

Available in two thicknesses, Durasheet® provides options for both residential and light commercial use. With a wide range of sizes, it accommodates both narrow and wide soffits, expanding your design possibilities.

Features and benefits

- 4.5mm thickness: used mainly in timber-framed residential buildings for soffit/eaves linings and cladding features such as gable ends.
- 6.0mm thickness: recommended for light commercial applications, high wind zones and steel framed constructions.
- Can be hand nailed or screwed for convenience and efficiency.

Thickness mm	Weight kg/m ²	Width mm	Length and product code				Pack size
			1800mm	2400mm	2700mm	3000mm	
4.5	6.1	450		4092559			120
		600		4092560			120
		750		4092561			120
		900		4092562			60
		1200	4092557				60
6	8.8	900		4092558	4092563	4092564	60
		900		4092569			60
		1200	4092566	4092568	4092570	4092571	60





Duralux®

Eaves lining and soffits

Duralux® is a versatile general-purpose fibre cement building board designed for a wide range of demanding applications. Whether used for interior lining, domestic and commercial soffits, external ceilings, wet areas, or internally as a substrate for ceramic wall tiles, Duralux® delivers reliable performance in both residential and commercial settings.





With two available thicknesses, it's easy to apply to both timber and steel framing, making it a flawless choice for a variety of projects.



Features and benefits

- Correct installation and maintenance will ensure full water resistance for long-lasting performance.
- Can be easily decorated in a variety of finishes to suit your design needs.
- Classified as Type B Category 2 product for use in applications sheltered from direct weathering.
- Ideal for expressed joint eaves and ceilings in residential, medium density and commercial applications.

Thickness mm	Weight kg/m ²	Width mm	Length and product code				Pack size
			2400mm	2700mm	3000mm	3600mm	
6	8.3	1200	4092635	4092637	4092638	4092639	60
9	12.4	1200	4092640	4092642	4092644		40



Intergroove[®]

Eaves lining and soffits

Intergroove[®] brings a refined architectural finish to eaves with clean lines and linear grooves. Its V-shaped groove adds a subtle shadowline that enhances the roofline with a sense of depth and sophistication. Designed for durability and low maintenance, Intergroove[®] offers a modern yet timeless look that elevates the aesthetic of the eaves.

Features and benefits

- Easy to handle and built for long-lasting performance.
- Quick to install as it eliminates the need for taped and filled joints.
- Features a 2mm deep v groove.

Thickness mm	Weight kg/m ²	Width mm	Length mm	Product code	Pack size
7.5	10.4	1200	2700	4092659	60







Durafloor®

Innova product brochure

Flooring and underlay

Flooring

Durafloor®

Flooring

Durafloor® provides one solution for substrate in interior wet areas such as bathrooms and laundries, as well as a range of exterior applications.

Its innovative tongue-and-groove joint eliminates the need for blocking, simplifying the installation process and speeding up the job. It is an excellent alternative to particle board or plywood.

Durafloor® is also perfect for use on balconies, verandahs, sundecks, and, when premium quality is essential, as a total floor solution.

Features and benefits

- Can be installed using traditional gun-nailing methods for efficiency.
- Same tongue-and-groove technology as traditional sheet flooring (e.g. Strandfloor).
- Lower installation costs compared to standard compressed sheet flooring.
- Provides a solid, durable surface that feels more stable and secure underfoot compared to timber-based sheet flooring.

Thickness mm	Weight kg/m ²	Width mm	Length and product code			Pack size
			2250mm	2400mm	2700mm	
19	26.2	600	4092582		4092583	40
22	30.4	600		4092584		40

Product: Durafloor®



Product: Durafloor®





Compressed flooring

High-density compressed flooring is a premium substrate, primarily used in commercial applications for high-load areas. It is also ideal for interior floors in wet areas, as well as for upper storeys, transportable buildings, and exterior decks. Its durability and strength make it particularly well-suited for demanding environments.

Features and benefits

- Impact resistant.
- Highly durable and dimensionally stable.
- Suitable for both interior wet areas and external decking.

Thickness mm	Weight kg/m ²	Width mm	Length and product code		Pack size
			1800mm	2400mm	
15	24.8	1200		4092535	20
18	29.7	1200	4092539	4092540	20
24	39.7	1200		4092544	15





Compressed flooring



Ceramic tile
underlay

Flooring and underlay

Underlay

Ceramic tile underlay

Ceramic tile floor underlay is a specially formulated fibre cement sheet, designed as a stable substrate for slate and ceramic floor tiles. It offers a reliable base for tiling over both new and existing timber floors.

In dry areas, ceramic tile floor underlay creates an impervious, easily-cleaned surface, while in wet areas or locations prone to flooding or water splash, a waterproof membrane should be installed between the underlay and the tiles for added protection.

Features and benefits

- Engineered for optimal performance as a floor tile substrate.
- Excellent substrate for floor tiles, both slate and ceramic.
- Suitable for both dry and wet areas (with additional waterproofing as required).
- Can be applied to new or existing timber floors for added convenience.

Thickness mm	Weight kg/m ²	Width mm	Length mm	Product code	Pack size
6	8.4	1200	1800	4092792	60







Effects

Effects[®] fascia

Effects[®] fascia is a specially formulated fibre cement board designed to provide long term durability and maintain an excellent finish for the life of the home.

Effects[®] fascia is the perfect choice to complement all Innova[®] cladding products, providing the aesthetics, performance and durability for any residential home design.

Features and benefits

- Designed to accommodate Durasheet[®] for a seamless transition.
- Gun nailable and easy to cut and handle.
- Pre-primed ready to paint.
- Provides a timber look without the problems associated with real timber and will not rot, swell, twist.

Thickness mm	Weight kg/m ²	Width mm	Length mm	Pack size	Product code
14	18	175	4200	120	4093793



Stratum®
Trio
Woodgrain





Nuline®
square 205

Fibre cement specialists. Built on change.

Auckland
09 273 1457

Technical Helpline
0800 424 234

Follow us
Instagram
[@innovafibrementnz](#)

Facebook
[@innovafibrementnz](#)

LinkedIn
[/innova-fibre-cement](#)

Warranty: Please refer to
innovafibrement.co.nz
for detailed warranty
information.



SCAN OR FOR
WEBSITE

INNOVA
by etex